Refactoring

Inline	⌥	⌘	N
Introduce Parameter	⌥	⌘	P
Introduce Constant	⌥	⌘	C
Introduce Field	⌥	⌘	F
Introduce Variable	⌥	⌘	V
Extract Method	⌥	⌘	M
Safe Delete		⌘	⌫
Copy			F5
Move			F6
Change Method Signature		⌘	F6
Rename		⇧	F6

Navigation In Source Code

Navigate to Previous Highlighted Error		⇧	F2
Navigate to Next Highlighted Error			F2
Last Edit Location	⇧	⌘	⌫
Navigate to Next Occurrence	⌥	⌘	↓
Navigate to Previous Occurrence	⌥	⌘	↑
Forward		⌘	]
Back		⌘	[
Navigate to Closing Brace	⌥	⌘	]
Navigate to Opening Brace	⌥	⌘	[
Navigate to Previous Method		^	↑
Navigate to Next Method		^	↓
Go to Header/Source			F10
Navigate to Related Symbol	^	⌘	↑
Navigate to Test/Test Subject	⇧	⌘	T
Navigate to Super Method		⌘	U
Navigate to Type Declaration	⇧	⌘	B
Navigate to Implementation	⌥	⌘	B
Navigate to Declaration		⌘	B
Navigate to Line		⌘	L
Navigate to Recently Opened File		⌘	E
Navigate to File	⇧	⌘	O
Navigate to Class		⌘	O
Type Hierarchy		^	H
Recent Files		⌘	E
Select target		⌥	F1
File Structure Popup		⌘	F12
Function			SH

Differences

Move to Previous Difference		⇧	F7
Move to Next Difference			F7

Views and Windows

Hide all tool windows	⇧	⌘	F12
Jump to Last Window			F12
Hide Active Window		⇧	ESC
Switcher		^	⇥
Expand all		⌘	NUM−PLUS
Collapse all		⌘	NUM−
Select Target		⌥	F1

Show Tool Windows

Show Terminal window	⌥	F12
Show Commit window	⌘	0
Show Version Control window	⌘	9
Show Services window	⌘	8
Show Structure window	⌘	7
Show Problems window	⌘	6
Show Debug window	⌘	5
Show Run window	⌘	4
Show Find window	⌘	3
Show Favorites window	⌘	2
Show Project window	⌘	1

Navigation Between Bookmarks

Show Bookmarks		⌘	F3
Toggle Bookmark with Mnemonic		⌥	F3
Toggle Bookmark			F3
Go to Bookmark <number>		^	NUMBER

PS **PHPStorm shortcuts for Mac**

Search

Find Action	⇧	⌘	**A**
Show Usages	⌥	⌘	**F7**
Highlight Usages in File	⇧	⌘	**F7**
Find Usages in File		⌘	**F7**
Find Usages		⌥	**F7**
Replace in Path	⇧	⌘	**R**
Find in Path	⇧	⌘	**F**
Incremental Search		⌘	**F**
Search for next/previous occurrence		⌘	**G**
Replace		⌘	**R**
Find		⌘	**F**
Search everywhere	**SHIFT**		**SHIFT**

General

Reload All from Disk	⌥	⌘	**Y**
Show Intention Action	⌥	↵	
Select Previous Tab	⇧	⌘	**[**
Select Next Tab	⇧	⌘	**]**
Save All		⌘	**S**
New...		⌘	**N**
Export to Text File		^	**O**
Escape			**ESC**
Edit Source		⌘	**↓**
Close Editor		⌘	**W**
Close Active Tab	^	⇧	**F4**

Running and Debugging

View Breakpoints	⇧	⌘	**F8**
Toggle breakpoint at the current line.		⌘	**F8**
Quick Evaluate Expression	⌥	⌘	**F8**
Evaluate Expression		⌥	**F8**
Stop Program		⇧	**F2**
Pause Program		^	**PAUSE**
Resume Program	⌥	⌘	**R**
Force Run To Cursor	⌥	⌘	**F9**
Run to Cursor		⌥	**F9**
Force Step Into	⌥	⇧	**F7**
Force Step Over	⌥	⇧	**F8**
Step Out		⇧	**F8**
Smart Step Into		⇧	**F7**
Step Into			**F7**
Step Over			**F8**
Choose configuration and debug	^	⌥	**D**
Debug		^	**D**
Rerun without loosing focus in the editor		^	**R**
Rerun		⌘	**R**
Choose configuration and run	^	⌥	**R**
Run		^	**R**

Code Folding

Fold Selection / Remove region		⌘	**.**
Expand all to level 1	⌥	⌘	**NUM∗** **1**
Expand to level 1		⌘	**NUM∗** **1**
Collapse All	⇧	⌘	**NUM−**
Expand All	⇧	⌘	**NUM−PLUS**
Collapse Recursively	⌥	⌘	**NUM−**
Expand Recursively	⌥	⌘	**NUM−PLUS**
Collapse		⌘	**NUM−**
Expand		⌘	**NUM−PLUS**

PHPStorm shortcuts for Mac

Basic Editing

Auto-Indent Lines	`^` `⌥` `I`
Unindent Selection	`⇧` `⇥`
Indent Selection	`⇥`
Unselect Word at Caret	`^` `⇧` `W`
Select Word at Caret	`^` `W`
Split Line	`^` `↵`
Join Lines	`^` `⇧` `J`
Start New Line Before Current One	`^` `⌥` `↵`
Start New Line	`⇧` `↵`
Move to Code Block Start with Selection	`^` `⇧` `[`
Move to Code Block Start	`^` `[`
Move to Code Block End with Selection	`^` `⇧` `]`
Move to Code Block End	`^` `]`
Toggle Case	`^` `⇧` `U`
Duplicate Line or Block	`^` `D`
Toggle Insert/Overwrite	`INS`
Delete to Word Start	`^` `⌫`
Delete to Word End	`^` `⌫`
Delete Line at Caret	`^` `Y`
Select All	`^` `A`
Move to Text Start with Selection.	`^` `⇧` `HOME`
Move to Text Start	`^` `HOME`
Move to Text End with Selection	`^` `⇧` `END`
Move to Text End	`^` `END`
Move to Previous Word with Selection	`^` `⇧` `←`
Move to Previous Word	`^` `←`
Move to Next Word with Selection	`^` `⇧` `→`
Move to Next Word	`^` `→`
Move to Line Start with Selection	`⇧` `HOME`
Move to Line Start	`HOME`
Move to Line End with Selection	`⇧` `END`

Move to Line End	`END`
Scroll Up	`^` `↑`
Scroll to Center	`^` `M`
Scroll Down	`^` `↓`
Page Up with Selection	`⇧` `PAGEUP`
Page Up	`PAGEUP`
Page Down with Selection	`⇧` `PAGEDOWN`
Page Down	`PAGEDOWN`
Go to Page Top with Selection	`^` `⇧` `PAGEUP`
Go to Page Top	`^` `PAGEUP`
Go to Page Bottom with Selection	`^` `⇧` `PAGEDOWN`
Go to Page Bottom	`^` `PAGEDOWN`
Right with Selection	`⇧` `→`
Right	`→`
Left with Selection	`⇧` `←`
Left	`←`
Down with Selection	`⇧` `↓`
Down	`↓`
Up with Selection	`⇧` `↑`
Up	`↑`
Paste from History	`^` `⇧` `V`
Paste	`^` `V`
Copy	`^` `C`
Cut	`^` `X`
Redo	`^` `⇧` `Z`
Undo	`^` `Z`
Backspace	`⌫`
Delete	`⌫`
Tab	`⇥`
Enter	`↵`

Advanced Editing

Previous Template Variable	`⇧` `⇥`
Next Template Variable	`⇥`
Surround with Live Template...	`⌥` `⌘` `J`
Insert Live Template...	`⌘` `J`
Expand Word	`⌥` `/`
SmartType Code Completion	`^` `⇧` `SPACE`
Basic Code Completion	`^` `SPACE`
Surround with...	`⌥` `⌘` `T`
Override Methods...	`^` `O`
External Documentation	`⇧` `F1`
Error Description	`⌘` `F1`
Context Info	`^` `⇧` `Q`
Parameter Info	`⌘` `P`
Pop-up Hector	`⌥` `⇧` `⌘` `H`
Show Table Data	`F1`
Quick Documentation Look-up	`F1`
Comment with Block Comment	`⌥` `⌘` `/`
Comment with Line Comment	`⌘` `/`

PHPStorm shortcuts for Mac

PHPStorm shortcuts for Mac