

Accessibility

Focus Console Output	^	⌘	2	
Focus Main Toolbar	^	⌘	Y	
Speak Text Editor Location	^	⌘	↑	B
Toggle Tab Key Always Moves Focus	^	⌘	↑	T
Toggle Screen Reader Support	^	⌘	/	

Main Menu (Server)

Help Menu	^	⌘	H	
Tools Menu	^	⌘	L	
Profile Menu	^	⌘	O	
Debug Menu	^	⌘	U	
Build Menu	^	⌘	B	
Session Menu	^	⌘	↑	S
Plots Menu	^	⌘	P	
View Menu	^	⌘	V	
Code Menu	^	⌘	C	
Edit Menu	^	⌘	I	
File Menu	^	⌘	F	

Terminal

Next Terminal	⌘	↑	F12
Previous Terminal	⌘	↑	F11
Move Focus to Terminal	⌘	↑	T
New Terminal	⌘	↑	R

Session

Restart R Session	↑	⌘	F10
Quit Session (desktop only)	⌘	Q	

Git/SVN

Stage/Unstage and move to next (Git)	↩		
Stage/Unstage (Git)	SPACE		
Scroll diff view	^	↑	
Commit changes	^	⌘	M
Diff active source document	^	⌘	D

Plots

Next plot	⌘	⌘	F12
Previous plot	⌘	⌘	F11

Debug

Stop Debugging	↑	F8
Continue	↑	F5
Finish Function/Loop	↑	F6
Step Into Function	↑	F4
Execute Next Line	F10	
Toggle Breakpoint	↑	F9

Build

Document Package	↑	⌘	D
Check Package	↑	⌘	E
Test Package (Web)	⌘	⌘	F7
Test Package (Desktop)	↑	⌘	T
Load All (devtools)	↑	⌘	L
Build and Reload	↑	⌘	B

Help

Show Command Palette	↑	⌘	P
Next Help Topic	⌘	↑	F3
Previous Help Topic	⌘	↑	F2
Find in Help Topic	⌘	F	
Search R Help	^	⌘	F1
Show Keyboard Shortcut Reference	⌘	↑	K

Views

Project Options	↑	⌘	,
Global Options	⌘	,	
Sync Editor & PDF Preview	⌘	F8	
Zoom Tutorial	^	↑	F6
Show Find in Files Results	^	F6	
Zoom Connections	^	↑	F5
Show Connections	^	F5	
Zoom Build	^	↑	F2
Show Build	^	F2	
Zoom Git/SVN	^	↑	F1
Show Git/SVN	^	F1	
Zoom Viewer	^	↑	9
Show Viewer	^	9	
Zoom Environment	^	↑	8
Show Environment	^	8	
Zoom Packages	^	↑	7
Show Packages	^	7	
Zoom Plots	^	↑	6
Show Plots	^	6	
Zoom Files	^	↑	5
Show Files	^	5	
Zoom History	^	↑	4
Show History	^	4	
Move focus to Terminal	⌘	↑	T
Zoom Help	^	↑	3
Move focus to Help	^	3	
Zoom Console	^	↑	2
Move focus to Console	^	2	
Zoom Source Editor	^	↑	1
Move focus to Source Editor	^	1	



Completions

Dismiss completion popup	ESC
Accept selected candidate	↵
Navigate candidates	↑
Attempt completion	→

Editing

Find usages for symbol at cursor (C++)	⌘ ⌘ U
Show source code for function at cursor	F2
Show help for function at cursor	F1
Insert pipe operator	↑ ⌘ M
Insert assignment operator	⌘ -
Insert currently yanked text	^ Y
Yank line after cursor	^ K
Yank line up to cursor	^ U
Outdent	↑ →
Indent (at beginning of line)	→
Delete to Line Start	⌘ ⌘
Delete to Line End	^ K
Delete Word Right	⌘ ⌘
Delete Word Left	⌘ ⌘
Select to Start/End	↑ ⌘ ↑
Select Page Up/Down	↑ PAGEUP
Select to Line End	↑ ⌘ →
Select to Line Start	↑ ⌘ ←
Select Word	⌘ ↑ ←
Select	↑ ↑
Delete Line	⌘ D
Jump to Start/End	⌘ HOME
Jump to Word	⌘ ←
Select All	⌘ A
Paste	⌘ V
Copy	⌘ C
Cut	⌘ X
Redo	↑ ⌘ Z
Undo	⌘ Z

Source

Insert Roxygen Skeleton	⌘ ↑ ⌘ R
Rename Symbol in Scope	⌘ ↑ ⌘ M
Check Spelling	F7
Find in Files	↑ ⌘ F
Replace and Find	↑ ⌘ J
Use Selection for Find	⌘ E
Find Previous	↑ ⌘ G
Find Next	⌘ G
Find and Replace	⌘ F
Move Active Cursor Down	^ ⌘ ↑ ↓
Move Active Cursor Up	^ ⌘ ↑ ↑
Add Cursor Below Current Cursor	^ ⌘ ↓
Add Cursor Above Current Cursor	^ ⌘ ↑
Expand to Matching Brace/Paren	^ ↑ E
Jump to Matching Brace/Paren	^ P
Copy Lines Up/Down	⌘ ⌘ ↑
Move Lines Up/Down	⌘ ↑
Transpose Letters	^ T
Show Diagnostics	⌘ ↑ ⌘ D
Reformat Selection	↑ ⌘ A
Reflow Comment	↑ ⌘ /
Comment/uncomment current line/selection	↑ ⌘ C
Reindent lines	⌘ I
Extract variable from selection	⌘ ⌘ V
Extract function from selection	⌘ ⌘ X
Navigate forward	⌘ F10
Navigate back	⌘ F9
Last tab	^ ↑ F12
First tab	^ ↑ F11
Next tab (desktop)	^ →



Previous tab (desktop)	^	↑	→
Previous tab	^	F11	
Switch to tab	^	↑	.
Edit lines from start	^	↵	↑
Split into lines	^	↵	A
Previous section	⌘	PAGEUP	
Next section	⌘	PAGEDOWN	
Shrink selection	^	↵	↑
Expand selection	^	↵	↑
Jump to	↵	↑	⌘
Go to line	↵	↑	⌘
Unfold All	↵	↑	⌘
Fold All	↵	⌘	0
Unfold Selected	↵	↑	⌘
Fold Selected	↵	⌘	L
Send current line/selection to terminal	↵	⌘	↵
Source the current document (with echo)	↑	⌘	↵
Source the current document	↑	⌘	S
Source a file	^	↵	G
Run the next Sweave/Rmd chunk	↵	⌘	N
Run the current Sweave/Rmd chunk	↵	⌘	C
Run previous Sweave/Rmd code	↵	↑	⌘
Run the current code section	↵	⌘	T
Run the current function definition	↵	⌘	F
Run from current line to document end	↵	⌘	E
Run from document beginning to current line	↵	⌘	B
Run current document	↵	⌘	R
Re-run previous region	↵	⌘	P
Run current line/selection (retain cursor)	↵	↵	
Run current line/selection	⌘	↵	
Insert code section	↑	⌘	R

Insert chunk (Sweave and Knitr)	↵	⌘	I
Compile PDF (TeX and Sweave)	↑	⌘	K
Compile Notebook	↑	⌘	K
Knit Document (knitr)	↑	⌘	K
Preview HTML (Markdown and HTML)	↑	⌘	K
Close other documents	↵	↑	⌘
Close all open documents	↑	⌘	W
Close active document (Chrome only)	↵	⌘	W
Close active document (except on Chrome)	⌘	W	
Save all documents	^	↵	S
Save active document	⌘	S	
Open document	⌘	O	
New document (Chrome only)	↵	↑	⌘
New document (except on Chrome/Windows)	↑	⌘	N
Toggle document outline	↑	⌘	O
Move cursor to Source Editor	^	1	
Go to File/Function	^	.	

Console

Change working directory	^	↑	H
Interrupt currently executing command	ESC		
Popup command history	⌘	↑	
Navigate command history	↑		
Move cursor to end of line	⌘	→	
Move cursor to beginning of line	⌘	←	
Clear console	^	L	
Move cursor to Console	^	2	

Pie Menu for RStudio

Work faster with a customized radial menu for RStudio. Add whatever shortcut you want!

[Download at www.pie-menu.com](http://www.pie-menu.com)



